

Author index

- Abbott, N.J. *see* Nobles, M.
 Allen, D.G. *see* Westerblad, H.
 Andersson, K.-E. *see* Fovaeus, M.
 Andrade, F.H. *see* Westerblad, H.
 Andrade, F.H., Anzueto, A., Napier, W., Levine, S., Lawrence, R.A., Jenkinson, S.G. & Maxwell, L.C. Effects of selenium deficiency on diaphragmatic function after resistive loading, 141
 Anzueto, A. *see* Andrade, F.H.
 Apelqvist, G., Bergqvist, P.B.F., Larsson, B., Bugge, M. & Bengtsson, F. Regional brain serotonin receptor changes in portacaval shunted rats, 509
 Artursson, P. *see* Söderholm, J.D.
 Asano, K. *see* Asano, M.
 Asano, M., Kaneko, K., Nomura, T., Asano, K., Sone, H., Tsurumaru, K., Yamashita, K., Matsuo, K., Suzuki, H. & Okuda, Y. Increase in serum vascular endothelial growth factor levels during altitude training, 455
 Ashton, N. *see* Gouldsborough, I.
 Bäckström, T. *see* Landgren, S.
 Bahr, R. *see* Børsheim, E.
 Bahr, R. *see* Sejersted, O.M.
 Bangsbo, J. & Hellsten, Y. Muscle blood flow and oxygen uptake in recovery from exercise, 305
 Batra, S. *see* Kleen, M.
 Bay Nielsen, H. *see* Madsen, P.
 Beaudry, M., Mouaffak, N., El Abida, K., Rieu, M. & Mengual, R. Lactate transport in L6 skeletal muscle cells and vesicles: allosteric or multisite mechanism and functional membrane marker of differentiation, 33
 Bengtsson, F. *see* Apelqvist, G.
 Bergqvist, P.B.F. *see* Apelqvist, G.
 Black, V. *see* Gouldsborough, I.
 Bojör, L. *see* Wandt, B.
 Booth, F.W., Tseng, B.S., Flück, M. & Carson, J.A. Molecular and cellular adaptation of muscle in response to physical training, 343
 Børsheim, E., Knardahl, S., Hostmark, A.T. & Bahr, R. Adrenergic control of postexercise metabolism, 313
 Broman, M., Källskog, Ö., Nygren, K. & Wolgast, M. The role of antidiuretic hormone in cold-induced diuresis in the anaesthetized rat, 475
 Bruton, J.D. *see* Westerblad, H.
 Bruton, J.D., Lännergren, J. & Westerblad, H. Mechanisms underlying the slow recovery of force after fatigue: importance of intracellular calcium, 285
 Bugge, M. *see* Apelqvist, G.
 Burcev, I. *see* Madsen, P.
 Calvert, D.T. & Shennan, D.B. Volume-activated taurine efflux from the *in situ* perfused lactating rat mammary gland, 97
 Canlon, B. *see* Shvarev, Y.N.
 Carson, J.A. *see* Booth, F.W.
 Claassen, H. *see* Desplanches, S.
 Clausen, T., Nielsen, O.B., Harrison, A.P., Flatman, J.A. & Overgaard, K. The Na⁺,K⁺-pump and muscle excitability, 183
 Corso, C. *see* Kleen, M.
 Delp, M.D. & Laughlin, M.H. Regulation of skeletal muscle perfusion during exercise, 411
 Denis, C. *see* Desplanches, S.
 Desplanches, S., Hoppeler, H., Mayet, M.H., Denis, C., Claassen, H. & Ferretti, G. Effects of bedrest on deltoid muscle morphology and enzymes, 135
 El Abida, K. *see* Beaudry, M.
 Faithfull, N.S. *see* Kleen, M.
 Fändriks, L. *see* Holm, M.
 Ferretti, G. *see* Desplanches, S.
 Fillion, G. *see* Seguin, L.
 Flatman, J.A. *see* Clausen, T.
 Flück, M. *see* Booth, F.W.
 Fovaeus, M., Fujiwara, M., Högestätt, E.D., Persson, K. & Andersson, K.-E. A non-nitric oxide muscle relaxant factor released from the contracting rat urinary bladder, 115
 Franzén, L. *see* Söderholm, J.D.
 Fujiwara, M. *see* Fovaeus, M.
 Galler, S. & Hilber, K. Tension/stiffness ratio of skinned rat skeletal muscle fibre types at various temperatures, 119
 Gandeia, S.C. Neural control in human muscle fatigue: changes in muscle afferents, motoneurons and motor cortical drive, 275
 Gouldsborough, I., Black, V., Johnson, I.T. & Ashton, N. Maternal nursing behaviour and the delivery of milk to the neonatal spontaneously hypertensive rat, 107
 Green, H.J. Cation pumps in skeletal muscle: potential role in muscle fatigue, 201
 Guezennec, Y. *see* Seguin, L.
 Gundersen, K. Determination of muscle contractile properties: the importance of the nerve, 333
 Gustaffson, L.E. *see* Olgart, C.
 Habler, O. *see* Kleen, M.
 Hallén, J. *see* Sejersted, O.M.
 Hallén, K. *see* Olgart, C.
 Hammar, M. *see* Wyon, Y.
 Hansell, P., Odland, C. & Männistö, P.T. Different renal effects of two inhibitors of catechol-O-methylation in the rat: entacapone and CGP 28014, 489
 Haraldsson, B. *see* Lindström, K.E.
 Harrison, A.P. *see* Clausen, T.
 Harrison, A.P. *see* Nielsen, O.B.
 Hedman, L. *see* Söderholm, J.D.
 Heller, H. & Schuster, K.-D. Stratification does not limit O₂ uptake in rabbit lungs, 21
 Hellsten, Y. *see* Bangsbo, J.
 Higashi, Y. *see* Murakami, Y.
 Hilber, K. *see* Galler, S.
 Hoffman, P. *see* Jonsdottir, I.H.
 Högestätt, E.D. *see* Fovaeus, M.
 Holm, M., Johansson, B., Pettersson, A. & Fändriks, L.

- Acid-induced duodenal mucosal nitric oxide output parallels bicarbonate secretion in the anaesthetized pig, 461
- Hoppeler, H. *see* Desplanches, S.
- Hostmark, A.T. *see* Børsheim, E.
- Hutter, J. *see* Kleen, M.
- Ide, K., Pott, F., Van Lieshout, J.J. & Secher, N.H. Middle cerebral artery blood velocity depends on cardiac output during exercise with a large muscle mass, 13
- Ikuta, Y. *see* Murakami, Y.
- Ishihara, A. *see* Oishi, Y.
- Iversen, H.H. *see* Olgart, C.
- Ivy, J.L. & Kuo, C.-H. Regulation of GLUT4 protein and glycogen synthase during muscle glycogen synthesis after exercise, 295
- Jaup, E.A., Timar Peregrin, A., Jodal, M. & Lundgren, O. Nervous control of alkaline secretion in the duodenum as studied by the use of cholera toxin in the anaesthetized rat, 165
- Jenkinson, S.G. *see* Andrade, F.H.
- Jodal, M. *see* Jaup, E.A.
- Johansson, B. *see* Holm, M.
- Johansson, C. *see* Jonsdottir, I.H.
- Johansson, S. *see* Landgren, S.
- Johnson, I.T. *see* Gouldsborough, I.
- Johnsson, E. *see* Lindström, K.E.
- Jonsdottir, I.H., Jungersten, L., Johansson, C., Wennmalm, A., Thoren, P. & Hoffman, P. Increase in nitric oxide formation after chronic voluntary exercise in spontaneously hypertensive rats, 149
- Jonsson, O. *see* Sorensen, V.
- Juel, C. Muscle pH regulation; role of training, 359
- Jungersten, L. *see* Jonsdottir, I.H.
- Källskog, Ö. *see* Broman, M.
- Kaneoka, K. *see* Asano, M.
- Kaya, S. & Mårdh, S. Protein kinase dependent phosphorylation of H,K-ATPase containing membranes from rat and pig stomachs, 57
- Keipert, P.E. *see* Kleen, M.
- Kemming, G. *see* Kleen, M.
- Kilgour, R.D. & Williams, P.A. Diabetes affects blood pressure and heart rate responses during acute hypothermia, 27
- Kleen, M., Habler, O., Hutter, J., Podtschaske, A., Tiede, M., Kemming, G., Welte, M., Keipert, P.E., Batra, S., Faithfull, N.S., Corso, C. & Messmer, K. Normovolaemic haemodilution and hyperoxia have no effect on fractal dimension of regional myocardial perfusion in dogs, 439
- Knardahl, S. *see* Børsheim, E.
- Koskolou, M.D. *see* Saltin, B.
- Kuo, C.-H. *see* Ivy, J.L.
- Lamb, G.D. *see* Stephenson, D.G.
- Landgren, S., Wang, M.D., Bäckström, T. & Johansson, S. Interaction between 3 α -hydroxy-5 α -pregnan-20-one and carbachol in the control of neuronal excitability in hippocampal slices of female rats in defined phases of the oestrus, 77
- Lännergren, J. *see* Bruton, J.D.
- Lännergren, J. *see* Westerblad, H.
- Larsson, B. *see* Apelqvist, G.
- Laughlin, M.H. *see* Delp, M.D.
- Lawrence, R.A. *see* Andrade, F.H.
- Levin, R.J. *see* Rolfe, V.E.
- Levine, S. *see* Andrade, F.H.
- Lindström, K.E., Johnsson, E. & Haraldsson, B. Glomerular charge selectivity for proteins larger than serum albumin as revealed by lactate dehydrogenase isoforms, 481
- Liscia, P. *see* Seguin, L.
- Lunde, P.K., Verburg, E., Vollestad, N. & Sejersted, O.M. Skeletal muscle fatigue in normal subjects and heart failure patients: is there a common mechanism?, 215
- Lundeberg, T. *see* Wyon, Y.
- Lundgren, O. *see* Jaup, E.A.
- Madsen, P., Pott, F., Olsen, S.B., Bay Nielsen, H., Burcev, I. & Secher, N.H. Near-infrared spectrophotometry determined brain oxygenation during fainting, 501
- Männistö, P.T. *see* Hansell, P.
- Mårdh, S. *see* Kaya, S.
- Matsuo, K. *see* Asano, M.
- Maxwell, L.C. *see* Andrade, F.H.
- Mayet, M.H. *see* Desplanches, S.
- Mengual, R. *see* Beaudry, M.
- Messmer, K. *see* Kleen, M.
- Miyamoto, E. *see* Oishi, Y.
- Mouaffak, N. *see* Beaudry, M.
- Murakami, Y., Ochi, M., Ikuta, Y. & Higashi, Y. Quantitative evaluation of nutritional pathways for the posterior cruciate ligament and the lateral collateral ligament in rabbits, 447
- Napier, W. *see* Andrade, F.H.
- Nielsen, O.B. & Harrison, A.P. The regulation of the Na⁺,K⁺ pump in contracting skeletal muscle, 191
- Nielsen, O.B. *see* Clausen, T.
- Nobles, M. & Abbott, N.J. Decline of the calcium response on successive stimulation of a rat brain endothelial cell P_{2U} purinoceptor, 69
- Nomura, T. *see* Asano, M.
- Nygren, K. *see* Broman, M.
- Ochi, M. *see* Murakami, Y.
- Odland, C. *see* Hansell, P.
- Oishi, Y., Ishihara, A., Yamamoto, H. & Miyamoto, E. Hindlimb suspension induces the expression of multiple myosin heavy chain isoforms in single fibres of the rat soleus muscle, 127
- Okuda, Y. *see* Asano, M.
- Olaison, G. *see* Söderholm, J.D.
- Olgart, C., Hallén, K., Wiklund, N.P., Iversen, H.H. & Gustafsson, L.E. Blockade of nitrergic neuroeffector transmission in guinea-pig colon by a selective inhibitor of soluble guanylyl cyclase, 89
- Olsen, S.B. *see* Madsen, P.
- Ostrowski, K. *see* Pedersen, B.K.
- Overgaard, K. *see* Clausen, T.
- Pantzar, N. *see* Söderholm, J.D.
- Pedersen, B.K., Rohde, T. & Ostrowski, K. Recovery of the immune system after exercise, 325
- Permert, J. *see* Söderholm, J.D.
- Persson, K. *see* Fovaeus, M.
- Pette, D. Training effects on the contractile apparatus, 367
- Pettersson, A. *see* Holm, M.
- Pettersson, S. *see* Sorensen, V.
- Podtschaske, A. *see* Kleen, M.

- Pott, F. *see* Ide, K.
Pott, F. *see* Madsen, P.
- Rådegran, G. *see* Saltin, B.
Reid, M.B. Role of nitric oxide in skeletal muscle: synthesis, distribution, and functional importance, 401
Richter, E.A. *see* Wojtaszewski, J.F.P.
Rieu, M. *see* Beaudry, M.
Roach, R.C. *see* Saltin, B.
Rohde, T. *see* Pedersen, B.K.
Rolfé, V.E. & Levin, R.J. Neural and non-neural activation of electrogenic secretion by 5-hydroxytryptamine in the rat ileum *in vitro*, 469
Rostrup, M. Catecholamines, hypoxia and high altitude, 389
Rutlen, D.L. *see* Wang, S.Y.
- Sahlin, K., Tonkonogi, M. & Söderlund, K. Energy supply and muscle fatigue in humans, 261
Saltin, B., Rådegran, G., Koskolou, M.D. & Roach, R.C. Skeletal muscle blood flow in humans and its regulation during exercise, 421
Scherstén, T. *see* Sorensen, V.
Schuster, K.-D. *see* Heller, H.
Secher, N.H. *see* Ide, K.
Secher, N.H. *see* Madsen, P.
Seguin, L., Liscia, P., Guezennec, Y. & Fillion, G. Effects of moderate and intensive training on functional activity of central 5-HT_{1B} receptors in the rat substantia nigra, 63
Sejersted, O.M. *see* Lunde, P.K.
Sejersted, O.M., Vollestad, N.K., Hallén, J. & Bahr, R. Muscle performance – fatigue, recovery and trainability, 181
Shennan, D.B. *see* Calvert, D.T.
Shvarev, Y.N. & Canlon, B. Receptor potential characteristics during direct stereocilia stimulation of isolated outer hair cells from the guinea-pig, 155
Söderholm, J.D., Hedman, L., Artursson, P., Franzén, L., Pantzar, N., Permert, J. & Olaison, G. Integrity and metabolism of human ileal mucosa *in vitro* in the Ussing chamber, 47
Söderlund, K. *see* Sahlin, K.
Sone, H. *see* Asano, M.
Sorensen, V., Jonsson, O., Pettersson, S., Scherstén, T. & Soussi, B. *In vivo* ³¹P NMR OSIRIS of bioenergetic changes in rabbit kidneys during and after ischaemia: effect of pretreatment with an indeno-indole compound, 495
Soussi, B. *see* Sorensen, V.
Stephenson, D.G., Lamb, G.D. & Stephenson, G.M.M. Events of the excitation-contraction-relaxation (E-C-R) cycle in fast – and slow-twitch mammalian muscle fibres relevant to muscle fatigue, 229
Stephenson, G.M.M. *see* Stephenson, D.G.
Suzuki, H. *see* Asano, M.
- Theodorsson, E. *see* Wyon, Y.
Thorén, P. *see* Jonsdottir, I.H.
Tiede, M. *see* Kleen, M.
Timar Peregrin, A. *see* Jaup, E.A.
Tipton, K.D. & Wolfe, R.R. Exercise induced changes in protein metabolism, 377
Tonkonogi, M. *see* Sahlin, K.
Tseng, B.S. *see* Booth, F.W.
Tsurumaru, K. *see* Asano, M.
- Van Lieshout, J.J. *see* Ide, K.
Verburg, E. *see* Lunde, P.K.
Vollestad, N. *see* Lunde, P.K.
Vollestad, N.K. *see* Sejersted, O.M.
- Wandt, B., Bojö, L. & Wranne, B. Long and short axis dimensions of the left ventricle change in opposite ways during respiration, 9
Wang, M.D. *see* Landgren, S.
Wang, S.Y., Welt, F.G.P. & Rutlen, D.L. Severe haemorrhage partially reverses moderate haemorrhage-induced decrease in intestinal vascular capacitance, 1
Wasserstrom, J.A. New evidence for similarities in excitation-contraction coupling in skeletal and cardiac muscle, 247
Welt, F.G.P. *see* Wang, S.Y.
Welte, M. *see* Kleen, M.
Wenmalm, A. *see* Jonsdottir, I.H.
Westerblad, H. *see* Bruton, J.D.
Westerblad, H., Allen, D.G., Bruton, J.D., Andrade, F.H. & Lännergren, J. Mechanisms underlying the reduction of isometric force in skeletal muscle fatigue, 253
Wiklund, N.P. *see* Olgart, C.
Williams, P.A. *see* Kilgour, R.D.
Wojtaszewski, J.F.P. & Richter, E.A. Glucose utilization during exercise: influence of endurance training, 351
Woledge, R.C. Possible effects of fatigue on muscle efficiency, 267
Wolfe, R.R. *see* Tipton, K.D.
Wolgast, M. *see* Broman, M.
Wranne, B. *see* Wandt, B.
Wyon, Y., Hammar, M., Theodorsson, E. & Lundeberg, T. Effects of physical activity and acupuncture on calcitonin gene-related peptide immunoreactivity in different parts of the rat brain and in cerebrospinal fluid, serum and urine, 517
- Yamamoto, H. *see* Oishi, Y.
Yamashita, K. *see* Asano, M.



Subject index

- Acid exposure, 461
- Acid secretion, 57
- Acupuncture, 517
- Acute mountain sickness, 455
- Acute normovolaemic haemodilution, 439
- Adaptive changes, 359
- Adenosine triphosphate, 495
- Adenosine, 421
- Adenylyl cyclase activity, 63
- Adrenaline, 305, 389
- Alkaline secretion, 165
- Allopregnanolone, 77
- Alveolar space, 21
- Antidiuretic hormone, 475
- Arginine vasopressin, 475
- Athlete, 325
- Atropine, 77
- Auditory system, 155
- Autonomic nervous system, 461
- Autonomic neurotransmission, 89
- Autoradiography, 509
- Axial gas mixing deficit, 21

- Bedrest, 135
- Behaviour, 107
- Bicarbonate, 461
- Bioassay, 115
- Blood flow, 401, 411
- Blood pressure, 13, 27, 389, 501

- CA1, 77
- Ca²⁺ sparks, 247
- Ca²⁺-ATPase, 201
- Ca²⁺-regulatory proteins, 367
- Caged ATP, 253
- Calcitonin gene-related peptide, 191, 517
- Calcium channel blockers, 165
- Calcium, 215
- Capillary permeability, 481
- Capillary, 135
- Carbachol, 77
- Cardiac glycosides, 247
- Cardiac vagal reflex, 1
- Carrier, 33
- Catechol-O-methyl transferase, 489
- Catecholamines, 191, 389
- Central fatigue, 275
- Central venous pressure, 501
- Cerebral blood flow, 13, 501
- Chamber, 47
- Charge, 481
- Cholera toxin, 165
- Chronic disease, 343
- Compartment model, 21
- Contraction, 183
- Contractions, 351
- Cortical stimulation, 275
- CP 93, 129
- Cytoskeleton, 191

- Cytosolic calcium levels, 201

- Denervation, 333
- Dentate gyrus, 77
- Desensitization, 63, 69
- Desmopressin, 475
- Diabetes, 27
- Diaphragm, 141
- Diffusion, 47
- Dihydroxyphenylacetic acid, 489
- Diuresis, 475
- Dopamine, 489
- Duodenum, 165, 461
- Dynamic exercise, 13

- Echocardiography, 9
- Electrical impedance, 501
- Electrical stimulation, 367, 333
- Electrolytes, 215
- Endothelial cells, 69
- Endothelium, 411
- Endothelium-derived relaxing factor (EDRF), 401
- Endurance training, 455
- Endurance, 183
- Energetics, 495
- Energy metabolism, 261
- Entacapone, 489
- Enteric nerves, 461
- Enteric nervous system, 165, 469
- Enzymes, 135
- EPOC, 305
- Excess post-exercise oxygen consumption, 313
- Excitation, 191
- Excitation-contraction coupling, 229, 285, 401
- Exercise training, 367
- Exercise, 149, 325, 333, 343, 401
- Exertion, 261

- Fast-twitch muscle, 229
- Fatigue, 201, 215, 261, 275
- Feeding, 107
- Fibre type transition, 367
- Fibre types, 135
- Force, 183, 253, 285
- Free fatty acids, 191
- Free radicals, 495

- Glucose transport, 351
- Glucose transporter, 295
- GLUT4, 295
- Glutathione peroxidase, 141
- Glutathione, 141
- Glycogen synthase, 295
- Guinea-pig, 155

- H,K ATPase, 57
- H⁺ transport, 359
- Heart failure, 215
- Heart rate, 13, 27

- Heart, 247
- Helix-loop proteins contractile properties, 333
- Hepatic encephalopathy, 509
- High altitude, 389, 455
- Hippocampus, 77
- Histology, 47
- Hormones, 183
- 5-HT_{1B} receptors, 63
- Human, 47, 261
- Hybrid single fibre, 127
- 5-hydroxytryptamine, 469
- Hyperaemia, 421
- Hypotension, 501
- Hypothermia, 27, 475
- Hypoxia, 389, 455

- Ileum, 47
- In vitro*, 47
- Indomethacin, 115
- Inhibition, 275
- Inorganic phosphate, 253
- Insulin signalling, 351
- Insulin, 295
- Interleukin, 325
- Intestinal absorption, 47
- Intestinal mucosa, 47
- Intestinal secretion, 461
- Intracellular Ca²⁺, 69, 253, 285
- Intracellular Na⁺, 191
- Intracellular pH, 253

- Kidney glomerulus physiology, 481
- Kidney, 475, 489

- Lactate, 33, 305
- Lactate dehydrogenase, 481
- Lateral collateral ligament, 447
- Lymphocyte, 325

- Magnesium, 215
- Mammary glands, 97
- Mechanism, 343
- Mechano-electrical transduction, 155
- Membrane excitability, 201
- Metabolism, 401
- Milk, 107
- Mitochondria, 135, 495
- Mitral ring motion, 9
- Monocarboxylate, 33
- Motor cortex, 275
- Mucosal protection, 461
- Muscle blood flow, 13
- Muscle cells, 33
- Muscle contraction, 229, 295
- Muscle efficiency, 267
- Muscle fatigue, 229, 253, 267, 285
- Muscle fibre stiffness, 119
- Muscle fibre types, 119
- Muscle relaxation, 229
- Muscle spindles, 275
- Muscle, 135, 377
- Myofibrillar proteins, 367
- Myofilament compliance, 119
- Myogenesis, 33
- Myosin cross-bridges, 119

- Myosin, 367

- Na⁺ channels, 191
- Na⁺, K⁺ pump, 215
- Na⁺ – K⁺ ATPase, 201
- Natural killer cell, 325
- Near infra-red spectroscopy, 501
- Near-infrared spectroscopy, 13
- Neonate, 107
- Nervous system, 517
- Nitrate, 149
- Nitric oxide (NO), 401
- Nitric oxide, 89, 115, 149, 305, 421, 461, 469
- Noradrenaline, 389
- Nutritional pathway, 447

- ODQ, 89
- Ouabain, 183
- Outer hair cell, 155
- Oxygen radicals, 401
- Oxygen, 439
- Oxygen-labelled carbon dioxide, 21

- P2 purinoceptors, 69
- Parietal cells, 57
- Peroxidation, 495
- Pharmacokinetic analysis, 447
- Phases of oestrus, 77
- Phosphocreatine, 261
- Physical activity, 517
- Physical exercise, 63
- Picrotoxin, 77
- Plasma membrane, 33
- Plasticity, 343
- Pore size, 481
- Portacaval shunt, 509
- Posterior cruciate ligament, 447
- Post-exercise metabolism, 313
- Potassium, 183, 215, 305
- Pressure-volume relationship, 1
- Prostanoids, 115
- Protein breakdown, 377
- Protein isoforms, 367
- Protein phosphorylation, 57
- Protein synthesis, 377
- Protons, 305

- Rabbit, 21
- Rat ileal secretion, 469
- Rat skeletal muscle, 119
- Rat, 63, 475, 481, 517
- Reactive oxygen species, 141
- Receptor potential, 155
- Reflexes, 275
- Relaxation, 115
- Respiration and haemodynamics, 9
- Restraint stress, 63

- Sarcoplasmic reticulum, 215, 253, 285
- SDS-PAGE, 127
- Selenium, 141
- Serotonin, 509
- Shear stress, 149
- Single-breath method, 21
- Skeletal muscle, 201

- Skeletal muscle, 215, 253, 261, 285, 333, 351, 367, 401
Slow-twitch muscle, 229
Smooth muscle relaxation, 89
Sodium, 183, 215, 489
Soluble guanylyl cyclase, 89
Spatial heterogeneity, 439
Splanchnic circulation, 1
Spontaneously hypertensive rat, 107, 149
Stable isotopes, 377
Stereocilia, 155
Stratification, 21
Streptozotocin, 27
Stroke volume, 9
Substantia nigra, 63
Sympathoadrenal system, 313
Sympatic nerve activity, 421

Taurine, 97
Temperature sensitivity, 119

Tension/stiffness ratio, 119
Tissue survival, 47
Transcranial Doppler, 501
Transport, 33
Tyrosine hydroxylase, 389

Urethane, 27
Urothelium, 115

 V_2 , 475
Vascular capacitance, 1
Vascular endothelial growth factor, 455
Vascular resistance, 411
Vasodilation, 421
Vasopressin, 389
Vaso-vagal syncope, 501
Vasovagal syncope, 1
Venous oxygen saturation, 501
Voltage sensitive release mechanism, 247
Volume-sensitive transport, 97



